



Attorney Docket No. 1349.1252

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

You-young JUNG

Application No.: 10/626,883

ATTENTION

Confirmation No.: 1041

CERTIFICATE OF CORRECTION

Filed: July 25, 2003

BRANCH

U.S. Patent No.: 7,142,247

Issued: November 28, 2006

For: DEINTERLACING APPARATUS AND METHOD THEREOF

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the error(s) shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the applicant; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

1/25/2007

By:

Gene M. Garner, II
Registration No. 34,172

Certificate
JAN 29 2007
of Correction

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

01/26/2007 SZEWDIE1 00000002 7142247

01 FC:1811

100.00 OP

JAN 30 2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,142,247

DATED : November 28, 2006

INVENTOR(S) : You-young JUNG

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

First Page, Column 2 (Abstract), Line 10, delete "on the" before "inter-field".

Column 12, Line 24, change "values," to --value,--.

MAILING ADDRESS OF SENDER:
STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,142,247

No. of add'l copies
@ 304 per page

⇒

JAN 30 2007